



Water Sample Sheet

Lab Date: _____

Inquiry #: _____

Water treatment quotes are based solely on correct information furnished on this sample sheet. Incorrect or omitted information may effect equipment warranties.

Customer Name: _____

Installing Dealer: _____

Address: _____

Address: _____

City/State: _____

City/State: _____

Phone: () _____

Phone: () _____

Type of Sample:

This is a RAW (UNTREATED) SAMPLE: _____

Sample Taken by: _____

This is a FILTERED (TREATED) SAM- _____

Date Sample Taken: _____

Source of Sample:

- Municipal
- Private Well
- Lake, Pond, or Spring
- Community Well
- Other: _____

Appearance of Sample when taken:

- Clear Tinted
- Red (Discolored) Red Growth
- Cloudy
- Color _____

Does the water have an odor when taken?

Problems Reported By Homeowner/Customer:

Hardness (lime deposits, soap does not lather)

Odor (Rotten Egg) Hot Water Cold Water

Iron (Red Stains) Red Growth

Other Odor _____

Low pH (Blue/Green stains)

Taste (Metallic, Sour, Bitter)

Other (Explain): _____

Discoloration _____

Sediment/Silt

Well System:

Drilled Well Bored Well

Pump Type:(Circle) Submersible Jet HP: _____

Tank Size: _____ Bladder or Galvanized?

Service Flow Rate of Pump at 40 psi: _____ (Mandatory information for filter backwashing requirements)

Cut on/Cut off pressure: _____

Special Considerations:

Circle One: Copper Plumbing or PVC Plumbing?

Does the water discolor on or after rainy days? Yes or No

Has an onsite Hydrogen Sulfide test been completed? Yes or No

Hydrogen Sulfide test results: _____

Is this sample for a: Single Family Home. Number of people: _____

Multi-House Real Estate Development?

Number of homes: _____

Poultry Farm. Number of Houses; _____

Light Industrial Application

Lab Use Only:

- | | |
|------------------------------------|--|
| <input type="checkbox"/> pH | <input type="checkbox"/> Iron Bacteria |
| <input type="checkbox"/> Iron | <input type="checkbox"/> Copper |
| <input type="checkbox"/> Manganese | <input type="checkbox"/> Nitrate |
| <input type="checkbox"/> Hardness | <input type="checkbox"/> Tannin |
| <input type="checkbox"/> TDS | <input type="checkbox"/> Sulfide |
| <input type="checkbox"/> Color | _____ |
| <input type="checkbox"/> Sediment | _____ |

The Warranty covers only the minerals that are tested for in our lab. This analysis is for mineral content only. The analysis will not determine whether water is safe for consumption. Contact local county agencies if bacteriological test is desired.

